

Plumbing plan submittals shall include the following:

Two complete sets of plans and specifications including materials and fixtures (Maximum of five)

Plans shall include:

1. Completed plumbing plan application form.
2. Scaled plot plan showing sanitary and/or storm sewer and water lateral.
3. Floor plan showing horizontal drains, water distribution lines, and all fixtures and equipment to be installed.
4. 30/60 degrees isometric diagrams of the drain and vent (including sanitary and storm) and water distribution systems. Isometrics shall show sizes, dfu and wsfu loads and pitch on all drain lines.
5. Complete water calculations in accordance with s. SPS 382.40 (7).
6. Complete storm drain sizing calculations in accordance with s. SPS 382.36 (5)
7. Remodeling or additions shall include all existing loads.
8. Water Quality Management Letter if required by s. SPS 382.20 (4)(b).
9. For Storm water plans, Submit appropriate architectural roof drainage plans, site grade run off plans and contour lines showing what is drained to the plumbing system.
10. All infiltration systems shall be submitted the State of Wisconsin Department of Safety and professional services.
11. A Notice of Intent, Form SBD-10376, must be filed with the department if more than 1 acre is disturbed.
12. All plans must be properly signed as per SPS 382.20 (4)(d). Plans involving more than one sheet must be BOUND into sets.